


DISC 1000A-L3013B10-04 Surface Mounted Spotlight tilt DISC IP65 LED COB 12.40W 1405lm CRI80 2700K 14° Anthracite

The Disc projector offers a wide variety of solutions since it is suitable for assembling both wall, soil (with picket) or ceiling, it allows to be rotated and / or tilted and is presented with three color temperatures, other optics, two powers and two color finishes. For all these reasons, together with its resistant features (IP65 / IK06), this projector becomes the versatile and flexible version to illuminate its projects in exterior spaces such as passage areas, gardens, terraces or portals.



GENERAL DATA



Category	Spotlights
Family	Disc
Finish	[04] Anthracite
Location	Indoor, Outdoor
Installation	Ceiling, Floor, Wall
Body material	Aluminum
Diffuser material	Transparent glass
EAN	8433264160050

LIGHT SOURCES AND BEAMS

Sources	LED COB 12.4W 1405lm 2700K CRI80
Total flux	1083 lm
Energy efficiency	F (2700K)
Beam	14°


TECHNICAL DATA

Dimensions	Diameter x Height (mm): 100 x 100
IP	IP65
Protection class	Class I
Frequency	50/60 Hz
Input voltage	220-240V AC V
Power factor	0.9
Auxiliary equipment brand	AcTEC
Operating temperature range	-20 - 40 °C
Lifetime	50.000 h
LED lifetime L	80
LED lifetime B	20
Cable outlets	2
Tilt angle	90.0 °
Rotation angle	350.0 °



DISC 1000A-L3013B10-04 Surface Mounted Spotlight tilt DISC IP65 LED COB 12.40W 1405lm CRI80
2700K 14° Anthracite

RECOMMENDED ACCESSORIES



A05A-1000A-02

Spike DISC Black

Material

Polyamide

Finish

[02] Black

DISC 1000A-L3013B10-04 Surface Mounted Spotlight tilt DISC IP65 LED COB 12.40W 1405lm CRI80
2700K 14° Anthracite

PRODUCTS OF THE SAME FAMILY



Disc 9W