


**DISC** 1000A-L3109B10-01 Surface Mounted Spotlight DISC IP65 LED COB 8.60W 1155lm CRI80 3000K 14° 90° White

The Disc projector offers a wide variety of solutions since it is suitable for assembling both wall, soil (with picket) or ceiling, it allows to be rotated and / or tilted and is presented with three color temperatures, other optics, two powers and two color finishes. For all these reasons, together with its resistant features (IP65 / IK06), this projector becomes the versatile and flexible version to illuminate its projects in exterior spaces such as passage areas, gardens, terraces or portals.



**GENERAL DATA**



Category	Spotlights
Family	Disc
Finish	[01] White
Location	Indoor, Outdoor
Installation	Ceiling, Floor, Wall
Body material	Aluminum
Diffuser material	Transparent glass
EAN	8433264159825

**LIGHT SOURCES AND BEAMS**


Sources	LED COB 8.6W max. 1155lm 3000K CRI80
Total flux	855 lm
Energy efficiency	F
Beam	14°

**TECHNICAL DATA**

Dimensions	Diameter x Height (mm): 100 x 100
IP	IP65
Protection class	Class I
Frequency	50/60 Hz
Input voltage	220-240V AC V
Power factor	0.9
Auxiliary equipment brand	AcTEC
Operating temperature range	-20 - 40 °C
Lifetime	50.000 h
LED lifetime L	80
LED lifetime B	20
Cable outlets	2
Tilt angle	90.0 °
Rotation angle	350.0 °



# DISC

 1000A-L3109B10-01      Surface Mounted Spotlight DISC IP65 LED COB 8.60W 1155lm CRI80  
3000K 14° 90° White**RECOMMENDED ACCESSORIES****A05A-1000A-02**

Spike DISC Black

Material

Polyamide

Finish

[02] Black

**DISC** 1000A-L3109B10-01 Surface Mounted Spotlight DISC IP65 LED COB 8.60W 1155lm CRI80  
3000K 14° 90° White

**COMPLEMENTARY IMAGES**

---



**PRODUCTS OF THE SAME FAMILY**

---



Disc 13W