


NATURAL 1029B-G05X1A-02-M1

Suspended Lamp NATURAL Medium E27 15W Black
Mimbre claro



Exo Lighting introduces the suspension NATURAL. Made of steel and with a natural wicker lampshade, it is the perfect ally to achieve inspired environments. Available in light wicker and dark wicker, and in three sizes: Small, Medium and Large that will adapt to various interior spaces to create a warm and natural atmosphere.

GENERAL DATA

Category	Pendant
Family	Natural
Finish	[02] Black / [M1] Mimbre claro
Location	Indoor
Installation	Ceiling
Body material	Steel
Lampshade material	Natural fiber
EAN	8433264353773

LIGHT SOURCES AND BEAMS

Sources	E27 LED Bulb 15W
Lamp included	No
Beam	Diffuse

TECHNICAL DATA

Dimensions	Diameter x Height x Height 2 (mm): 500 x 445 x 1770
IP	IP20
Protection class	Class I
Frequency	50/60 Hz
Input voltage	110-240V AC V



NATURAL

1029B-G05X1A-02-M1

Suspended Lamp NATURAL Medium E27 15W Black
Mimbre claro

RECOMMENDED ACCESSORIES



B17P-X33X2B-01
Track adapter TRACK White

Input voltage	220-240V AC
Frequency	50/60
IP	IP20
Protection class	Class I




B17P-X33X2B-02
Track adapter TRACK Black

Input voltage	220-240V AC
Frequency	50/60
IP	IP20
Protection class	Class I




B17P-X33X2B-03
Track adapter TRACK Grey

Input voltage	220-240V AC
Frequency	50/60
IP	IP20
Protection class	Class I




632F-L0504B-01
Lamp LED FILAMENT E27 LED
Bulb 4W 470lm CRI80 2700K 360°

Input voltage	220-240V AC
Frequency	50/60
Wattage (W)	4.0
IP	IP20
Protection class	Class I



632C-L0506B-01
Lamp LED FILAMENT E27 LED
Bulb 6W 800lm CRI80 2700K 360°

Input voltage	110-240V AC
Frequency	50/60
Wattage (W)	6.0
IP	IP20
Protection class	Class I



632G-L0504B-01
Lamp LED FILAMENT E27 LED
Bulb 4W 470lm CRI80 2700K 360°

Input voltage	220-240V AC
Frequency	50/60
Wattage (W)	4.0
IP	IP20
Protection class	Class I

NATURAL

1029B-G05X1A-02-M1

Suspended Lamp NATURAL Medium E27 15W Black
Mimbre claro

COMPLEMENTARY IMAGES



PRODUCTS OF THE SAME FAMILY



NATURAL L
mimbre claro



NATURAL L
mimbre oscuro



NATURAL M
mimbre oscuro



NATURAL S
mimbre claro



NATURAL S mimbre oscuro