


EVEN 1050A-L3113B-04 Wall Bracket EVEN IP65 LED SMD 11W 1500lm(315lm) CRI80 3000K 114° Anthracite



The EVEN model, with a cylinder-shaped structure and IP65 protection, comes in anthracite colour and with a 3000K LED light source. The body is made from aluminium while the wall bracket is made from polycarbonate to improve its performance against oxidation. In addition, it allows total interaction and adaptation to each environment as the front visor of the luminaire can be rotated to get multiple light effects, illuminating only upwards, only downwards or both sides with different arrangements.

GENERAL DATA

Category	Surface
Family	Even
Finish	104 Anthracite
Location	Outdoor
Installation	Wall
Body material	Aluminum
EAN	8433264424152



LIGHT SOURCES AND BEAMS

Sources	LED SMD 11W 1500lm(315lm) 3000K CRI80
Energy efficiency	E (3000K)
Beam	114° - Direct symmetric, Indirect symmetric

TECHNICAL DATA


Dimensions	Length x Width x Height (mm): 223 x 130 x 105
IP	IP65
IK	10
Protection class	Class I
Frequency	50/60 Hz
Input voltage	110-240V AC V
Total wattage	13 W
Output current	300 mA
Power factor	0.9
Auxiliary gear	Integrated driver
Auxiliary equipment brand	ESPL
Lifetime	50.000 h
LED lifetime L	70
LED lifetime B	50
Weight	1.5 Kg
Cable outlets	1
Anchorage included	Yes



PHOTOMETRIC DATA

EVEN

1050A-L3113B-04 Wall Bracket EVEN IP65 LED SMD 11W 1500lm(315lm) CRI80 3000K 114° Anthracite



NOTES

Tilting front visor.

EVEN 1050A-L3113B-04 Wall Bracket EVEN IP65 LED SMD 11W 1500lm(315lm) CRI80 3000K 114°
Anthracite

COMPLEMENTARY IMAGES

