


# DUOMO 1069B-L3311FC0-04

Bollard DUOMO IP65 LED SMD 11W 1510lm(880lm) CRI80 4000K 300mm Anthracite



DUOMO, con su diseño fino, ligero y discreto, aporta un concepto destinado a favorecer la esencia de la luz integrándose en el entorno natural con armonía y sutileza. Es, por tanto, una colección de balizas de jardín caracterizadas por un fino anillo de luz, diseñada para realzar la delicadeza y la exclusividad de los espacios. Gracias a sus tres alturas, a la posibilidad de instalación con base, caja o piqueta, y a la posibilidad de completar la colección con la versión de pared hace que su luz difusa y fluida pueda adaptarse a cualquier ambiente. Su uso ideal es la colocación en zonas verdes, arbustos, zonas de estar al aire libre o caminos sugerentes

### GENERAL DATA

|                   |                      |
|-------------------|----------------------|
| Category          | Bollards and columns |
| Family            | Duomo                |
| Finish            | [04] Anthracite      |
| Location          | Outdoor              |
| Installation      | Floor                |
| Body material     | Aluminum             |
| Diffuser material | Opal polycarbonate   |
| EAN               | 8433264429805        |



### LIGHT SOURCES AND BEAMS

|                   |                                       |
|-------------------|---------------------------------------|
| Sources           | LED SMD 11W 1510lm(880lm) 4000K CRI80 |
| Energy efficiency | E (4000K)                             |
| Beam              | Rotosimétrica                         |



### TECHNICAL DATA

|                  |                                   |
|------------------|-----------------------------------|
| Dimensions       | Diameter x Height (mm): 160 x 300 |
| IP               | IP65                              |
| IK               | 08                                |
| Protection class | Class III                         |
| Input voltage    | 24V DC V                          |
| Auxiliary gear   | Without equipment, needed         |
| Lifetime         | 50,000 h                          |
| LED lifetime L   | 80                                |
| LED lifetime B   | 20                                |
| Cable outlets    | 1                                 |
| Lead wire length | 350.0 mm                          |

### NOTES

Other finishes available. Consult  
Dimmable only with specific control devices

# DUOMO 1069B-L3311FC0-04

Bollard DUOMO IP65 LED SMD 11W 1510lm(880lm) CRI80 4000K 300mm Anthracite

## RECOMMENDED ACCESSORIES

---

A05A-1069-02

Spike DUOMO Black

Finish

[02] Black

---

---

CEM-1069-02

Recessed box DUOMO

---

## DUOMO 1069B-L3311FC0-04

Bollard DUOMO IP65 LED SMD 11W 1510lm(880lm) CRI80 4000K 300mm Anthracite

### COMPLEMENTARY IMAGES



### PRODUCTS OF THE SAME FAMILY



Duomo H600



Duomo H900



Duomo Wall