

SINCE 1978



LEADING LIGHT

# Product Datasheet

vkleadinglight.gr

Opos

## VK/O2217/CB/WW/30


OPOS Outdoor Table portable Led light, 2x2200mA lithium batteries, Cobalt Blue. 2200K/2700K. 2W. 241lm. CRI>80, 10.3x10.3x30.8cm, dimmable, IP65



IP65



### Dimensions



### Gallery

Cobalt blue



charging base


Outdoor Portable LED Lights

Opos





Model	Color	Material	Power	Light Output	Beam Angle	Dimensions (H x W x D)
OPOS-001	White	Aluminum	2W	241lm	120°	30.8 x 10.3 x 10.3
OPOS-002	Orange	Aluminum	2W	241lm	120°	30.8 x 10.3 x 10.3
OPOS-003	Blue	Aluminum	2W	241lm	120°	30.8 x 10.3 x 10.3
OPOS-004	Black	Aluminum	2W	241lm	120°	30.8 x 10.3 x 10.3
OPOS-005	Green	Aluminum	2W	241lm	120°	30.8 x 10.3 x 10.3
OPOS-006	Grey	Aluminum	2W	241lm	120°	30.8 x 10.3 x 10.3

### Downloads




## VK Leading Light

Since 1978

Technical Specifications	
Kelvin	2200K/2700K
Power	2W
Voltage	DC3.7V
Battery	2x2200mAh lithium battery
Charge	6.5 hours
Work time	>9 hours
Extra	With open switch. Included charging base. Without adapter
Fitting	Outdoor Portable LED
Type	Light
Safety class	
Light source	SMD
IP Rating	<b>IP65</b>
CRI	CRI>80
Dimmable	
Lifetime	25.000hrs
Clicks	30.000clicks
Working temperature	-20°C - 40°C
PAGE	726 Technical 2024
NICKNAME	Opos

Physical Specifications	
Color	Cobalt Blue
Material	Die-casting aluminum alloy
Width	7.9x7.9cm (top of hat)
Length	10.1x10.1cm (base)
Height	30.8cm
Net weight of product (kg)	0.811
Gross weight with master box (kg)	6.6
Width (inner box)	12.5cm
Length (inner box)	15cm
Height (inner box)	34cm

## Illumination Data

Lumen	241lm
Beam angle	150°
Lighting direction	

## Packing Info

Pcs/carton	6pcs
------------	------

## Certification &amp; Warranty

Guarantee	3 years
-----------	---------

## Energy Label



VK LEADING LIGHT  
VK/02217/CB/WW/30

A	▶
B	▶
C	▶
D	▶
E	▶
F	▶
G	▶


**F**

**2**  
kWh/1000h



2019/2015