

SINCE 1978



LEADING LIGHT

# Product Datasheet

vkleadinglight.gr

Amelie

## VK/04695/B/W

Black. 3000K. 18W. 2044lm. AC220-240V. LED Bridgelux. Driver Xing Yuan. Table light. -20°C → 45°C. 50.000hrs. Clicks 20.000. Dimmable No. CRI>90. With on/off switch. Aluminum+PC. IP20



IP20



### Dimensions




### Gallery



TECHNICAL SPECIFICATIONS  
Model: VK/04695/B/W  
Material: Aluminum+PC  
Color: Black  
Power: 18W  
Voltage: AC220-240V  
Lumen: 2044lm  
CRI: >90  
Temperature range: -20°C → 45°C  
Life span: 50.000hrs  
Clicks: 20.000  
Dimmable: No  
Switch: On/off  
IP: IP20

### Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	18W
Voltage	AC220-240V
Extra	With ON/OFF switch
Fitting	Table
Type	Light
Safety class	
Light source	Bridgelux
IP Rating	<b>IP20</b>
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Clicks	20,000
Driver	Xing Yuan
Working temperature	-20°C-45°C
PAGE	88 New Products 2026
NICKNAME	Amelie

Physical Specifications	
Family	Amelie
Color	Black
Material	Aluminum+PC
Width	ø30cm
Length	ø30cm
Height	40.7cm (7.3cm height of lampshade)
Net weight of product (kg)	4.70kg
Gross weight with inner box (kg)	5.25kg
Width (inner box)	35cm
Length (inner box)	45.6cm
Height (inner box)	35.3cm

## Illumination Data

Lumen	2044lm
Lighting direction	

## Packing Info

Pcs/carton	2pcs
------------	------

## Certification &amp; Warranty

Guarantee	2 years
-----------	---------