

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Lopi

VK/04703/W/W


White. 3000K. 8W. 560lm. LED SANAN. Driver Eaglerise. AC220-240V. 100°. Wall/Reading light. ≤35°C. Working life 3 years. Dimmable No. With press button. CRI>80. Aluminum+PMMA. IP20



IP20



Dimensions



Gallery






Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	8W
Voltage	AC220-240V
Extra	With press button
Fitting	Wall/Reading
Type	Light
Safety class	
Light source	Sanan
IP Rating	IP20
CRI	CRI>80
Dimmable	
Lifetime	3 years
Clicks	5,000
Driver	Eaglerise
Working temperature	<35°C
PAGE	222 New Products 2026
NICKNAME	Lopi

Physical Specifications	
Adjustable	
Family	Lopi
Color	White
Material	Aluminum + PMMA
Width	ø9.8cm
Length	26.8cm
Height	4.58cm
Net weight of product (kg)	0.45kg
Gross weight with inner box (kg)	0.5kg
Width (inner box)	28cm
Length (inner box)	16.5cm
Height (inner box)	4.5cm

Illumination Data

Lumen	560lm
Beam angle	100°
Lighting direction	

Packing Info

Pcs/carton	20pcs
------------	-------

Certification & Warranty

Guarantee	2 years
-----------	---------

Energy Label



VK LEADING LIGHT
VK/04703/W/W

A
B
C
D
E
F
G

8 kWh/1000h



2019/2015