

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Neon









VK/02268/WA/AN/W

Anthracite. 3000K. 9W. 686lm. AC220-240V. 120°. LED SMD. 30.000hrs.
Dimmable No. -20°C → 45°C. Outdoor wall. CRI>80. ABS + Diffuser PC.
IP65





IP65



Dimensions	Gallery	Downloads
	   	  


VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	9W
Voltage	AC220-240V
Fitting	Outdoor Wall
Type	Light
Safety class	
Light source	SMD
IP Rating	IP65
CRI	CRI>80
Dimmable	
Lifetime	30.000hrs
Clicks	20,000
Working temperature	-20°C-45°C
PAGE	286 New Products 2026
NICKNAME	Neon

Physical Specifications	
Family	Neon
Color	Anthracite
Material	ABS + PC
Width	11.5cm
Length	11.5cm
Height	13cm
Net weight of product (kg)	0.35kg
Gross weight with inner box (kg)	0.45kg
Width (inner box)	12.5cm
Length (inner box)	12.5cm
Height (inner box)	14cm

Illumination Data

Lumen	686lm
Beam angle	120°
Lighting direction	

Packing Info

Pcs/carton	12pcs
------------	-------

Certification & Warranty

Guarantee	2 years
-----------	---------

Energy Label



ENERGY

VK LEADING LIGHT
VK/02268/WA/AN/W

A
B
C
D
E
F
G

9
kWh/1000h

2019/2015