

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Wop

VK/02292/WA/RB/WW/9

Rust Brown. 2700K. 3W. 65lm. AC220-240V, DC9-15V 200mA. LED Bridgelux. 50.000hrs. Diffuse Light. Dimmable No. -20°C→ 45°C. Outdoor wall. CRI>90. Aluminum + Acrylic. IP65



IP65




Dimensions



Gallery





Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	3W
Voltage	AC220-240V
Extra	DC9-15V 200mA
Fitting	Outdoor Wall
Type	Light
Safety class	
Light source	Bridgelux
IP Rating	IP65
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Working temperature	-20°C-45°C
PAGE	300 New Products 2026
NICKNAME	Wop

Physical Specifications	
Family	Wop
Color	Rust brown
Material	Aluminum + acrylic
Width	8cm
Length	10.5cm
Height	2.5cm

Illumination Data	
Lumen	65lm
Beam angle	Diffuse light
Lighting direction	

Packing Info	
Pcs/carton	30pcs

Certification & Warranty

Guarantee	3 years
-----------	---------

Energy Label

