


PRIMA 255A-G05X1A-01

Wall Bracket PRIMA IP44 E27 42W White

Prima family of wall lights is made of thermoplastic in a rectangular shape with IP44, available in black and white, with and without coating. This luminaire is suitable for installations in environments with a saline atmosphere and for illuminating busy outdoor areas.



GENERAL DATA

| | |
|-------------------|------------------|
| Category | Surface |
| Family | Prima |
| Finish | [01] White |
| Location | Outdoor |
| Installation | Wall |
| Body material | Thermoplastic |
| Diffuser material | Opalized crystal |
| Frame material | Technopolymer |
| ETIM class | EC0028g2 |
| EAN | 8435256501063 |

LIGHT SOURCES AND BEAMS

| | |
|---------------|----------------------------------|
| Sources | E27 LED Bulb/TC-TSE/HAL 42W max. |
| Lamp included | No |
| Beam | Semi-direct |

TECHNICAL DATA

| | |
|----------------------|--|
| Dimensions | Height x Width x Length (mm): 160 x 250 x 95 |
| IP | IP44 |
| Corrosion resistance | Yes |
| Protection class | Class I |
| Frequency | 50/60 Hz |
| Input voltage | 110-240V AC V |
| Auxiliary gear | Without equipment, not needed |
| Weight | 1.1 Kg |
| Cable outlets | 1 |
| ECORAE category I | CAT-B |
| ECORAE I | 0.5 |





NOTES

Luminaire suitable for installation in environments with saline atmosphere

PRIMA 255A-G05X1A-01

Wall Bracket PRIMA IP44 E27 42W White

RECOMMENDED ACCESSORIES

| | | | | | | | | | | | | | |
|---|---|---|--|---------------|-------------|-----------|-------|-------------|-----|----|------|------------------|---------|
|  |  | <p>632C-L0506B-01 Lamp LED FILAMENT E27 LED Bulb 6W 800lm CRI80 2700K 360°</p> | <table border="1"> <tbody> <tr> <td>Input voltage</td> <td>110-240V AC</td> </tr> <tr> <td>Frequency</td> <td>50/60</td> </tr> <tr> <td>Wattage (W)</td> <td>6.0</td> </tr> <tr> <td>IP</td> <td>IP20</td> </tr> <tr> <td>Protection class</td> <td>Class I</td> </tr> </tbody> </table> | Input voltage | 110-240V AC | Frequency | 50/60 | Wattage (W) | 6.0 | IP | IP20 | Protection class | Class I |
| Input voltage | 110-240V AC | | | | | | | | | | | | |
| Frequency | 50/60 | | | | | | | | | | | | |
| Wattage (W) | 6.0 | | | | | | | | | | | | |
| IP | IP20 | | | | | | | | | | | | |
| Protection class | Class I | | | | | | | | | | | | |
|  |  | <p>632C-L0506B-02 Lamp LED FILAMENT E27 LED Bulb 6W 800lm 4000K 360°</p> | <table border="1"> <tbody> <tr> <td>Input voltage</td> <td>110-240V AC</td> </tr> <tr> <td>Frequency</td> <td>50/60</td> </tr> <tr> <td>Wattage (W)</td> <td>6.0</td> </tr> <tr> <td>IP</td> <td>IP20</td> </tr> <tr> <td>Protection class</td> <td>Class I</td> </tr> </tbody> </table> | Input voltage | 110-240V AC | Frequency | 50/60 | Wattage (W) | 6.0 | IP | IP20 | Protection class | Class I |
| Input voltage | 110-240V AC | | | | | | | | | | | | |
| Frequency | 50/60 | | | | | | | | | | | | |
| Wattage (W) | 6.0 | | | | | | | | | | | | |
| IP | IP20 | | | | | | | | | | | | |
| Protection class | Class I | | | | | | | | | | | | |

PRIMA 255A-G05X1A-01

Wall Bracket PRIMA IP44 E27 42W White

PRODUCTS OF THE SAME FAMILY



Prima



Prima Ver. Hood