


# SOFITO 290A-G21X1A-30

Recessed ceiling SOFITO IP67 GU4 20W Stainless steel

Sofito recessed ceiling, made of aluminum with a degree of protection IP67. The embedment depth is 10cm with the emission temperature of 4000K. It is suitable for lighting outdoor residential areas.



### GENERAL DATA

Category	Recessed
Family	Sofito
Finish	[30] Stainless steel
Location	Outdoor
Installation	Ceiling
Body material	Aluminum
Diffuser material	Transparent glass
Frame material	Inox aisi 316L
ETIM class	EC001744
EAN	8435256521627

### LIGHT SOURCES AND BEAMS

Sources	GU4 QR-CB 20W max.
Energy efficiency	A+, A, B, C
Lamp included	No
Beam	Direct symmetric

### TECHNICAL DATA

Dimensions	Height x Diameter (mm): 3 x 90
IP	IP67
Corrosion resistance	Yes
Protection class	Class III
Frequency	50/60 Hz
Input voltage	12V AC V
Auxiliary gear	Without equipment, needed
Weight	0.5 Kg
Cable outlets	1
Cut hole dimensions	Diameter x Depth (mm): 86 x 102
ECORAE category I	CAT-A
ECORAE I	0.25
Periodic maintenance	Yes

### NOTES

Luminaire suitable for installation in environments with saline atmosphere

**SOFITO** 290A-G21X1A-30

Recessed ceiling SOFITO IP67 GU4 20W Stainless steel

**RECOMMENDED ACCESSORIES****B02A-X3320I-01**

Power supplies ALIMENTADORES

White

Input voltage 110-240V AC

Frequency 50/60

Output current (mA) 500

Wattage (W) 20.0

IP IP20

# SOFITO 290A-G21X1A-30

Recessed ceiling SOFITO IP67 GU4 20W Stainless steel

**PRODUCTS OF THE SAME FAMILY**

---



Sofito D135



Sofito D245



Sofito D90 L