


SOFITO 290A-L0110H-30 Recessed ceiling SOFITO IP67 LED COB 9W 1170lm CRI80 3000K 40°
Stainless steel

Sofito recessed ceiling, made of aluminum with a degree of protection IP67. The embedment depth is 10cm with the emission temperature of 4000K. It is suitable for lighting outdoor residential areas.



GENERAL DATA

Category	Recessed
Family	Sofito
Finish	[30] Stainless steel
Location	Outdoor
Installation	Ceiling
Body material	Aluminum
Diffuser material	Transparent glass
Frame material	Inox aisi 316L
ETIM class	EC001744
EAN	8433264119546

LIGHT SOURCES AND BEAMS

Sources	LED COB 9W max. 1170lm 3000K CRI80
Energy efficiency	E
Beam	40° - Direct symmetric

TECHNICAL DATA

Dimensions	Height x Diameter (mm): 3 x 90
IP	IP67
Corrosion resistance	Yes
Protection class	Class III
Auxiliary gear	Without equipment, needed
Lifetime	30.000 h
LED lifetime L	80
LED lifetime B	20
Weight	0.55 Kg
Cable outlets	1
Cut hole dimensions	Diameter x Depth (mm): 86 x 102
ECORAE category I	LED-A
ECORAE I	0.25
Periodic maintenance	Yes

NOTES

High efficiency specular optics.

SOFITO

 290A-L0110H-30 Recessed ceiling SOFITO IP67 LED COB 9W 1170lm CRI80 3000K 40°
Stainless steel**RECOMMENDED ACCESSORIES****B02A-X3320I-01**

Power supplies ALIMENTADORES

White

Input voltage 110-240V AC

Frequency 50/60

Output current (mA) 500

Wattage (W) 20.0

IP IP20

SOFITO 290A-L0110H-30 Recessed ceiling SOFITO IP67 LED COB 9W 1170lm CRI80 3000K 40°
Stainless steel

PRODUCTS OF THE SAME FAMILY



Sofito D135



Sofito D245



Sofito D90 Retrofit