


# XALOC 350D-G05X1A-30

Wall recessed XALOC IP44 E27 20W 72° Stainless steel

Xaloc recessed wall lights, made of aluminum with a degree of protection IP44, available in two versions with and without grille and in three colors: white, black and silver. The embedment depth is 8cm. It is suitable for lighting outdoor residential areas.



## GENERAL DATA

Category	Recessed
Family	Xaloc
Finish	[30] Stainless steel
Location	Outdoor
Installation	Wall
Body material	Aluminum
Diffuser material	Frosted glass
Frame material	Inox aisi 304
ETIM class	EC000481
EAN	8435258629901

## LIGHT SOURCES AND BEAMS

Sources	E27 LED Bulb/TC-TSE 20W max.
Lamp included	No
Beam	72° - Direct symmetric


## TECHNICAL DATA

Dimensions	Height x Width x Length (mm): 101 x 233 x 83
IP	IP44
Protection class	Class I
Frequency	50/60 Hz
Input voltage	110-240V AC V
Auxiliary gear	Without equipment, not needed
Weight	0.65 Kg
Cable outlets	1
Cut hole box included	Yes
Cut hole dimensions	Length x Width x Depth (mm): 243 x 102 x 83
ECORAE category I	CAT-B
ECORAE I	0.5
Periodic maintenance	Yes
Flammable surfaces	Yes

**XALOC** 350D-G05X1A-30

Wall recessed XALOC IP44 E27 20W 72° Stainless steel

**RECOMMENDED ACCESSORIES**



**632C-L0506B-01**

Lamp LED FILAMENT E27 LED  
Bulb 6W 800lm CRI80 2700K 360°

Input voltage	110-240V AC
Frequency	50/60
Wattage (W)	6.0
IP	IP20
Protection class	Class I

# XALOC 350D-G05X1A-30

Wall recessed XALOC IP44 E27 20W 72° Stainless steel

## PRODUCTS OF THE SAME FAMILY

---



Xaloc R



Xaloc R Inox