


GAMBLE-PLUS

382A-L0316D-30 Underwater Spotlight GAMBLE-PLUS IP68 LED SMD
16W 1100lm CRI80 5700K 45° 180° Stainless steel

Gamble family of projectors is made of stainless steel and always works under water up to 2m. Maxi version exists, RGB and white light, available in two perspectives: Narrow and Medium. Your IP is 68 and is suitable for installation on walls.



GENERAL DATA

Category	Underwater Lights
Family	Gamble-Plus
Finish	[30] Stainless steel
Location	Outdoor
Body material	Stainless steel
Diffuser material	Transparent glass
Frame material	Stainless steel
ETIM class	EC001744
EAN	8435256590760

LIGHT SOURCES AND BEAMS


Sources	LED SMD 16W max. 1100lm 5700K CRI80
Energy efficiency	G
Beam	45° - Direct symmetric

TECHNICAL DATA

Dimensions	Height x Width x Length (mm): 155 x 130 x 165
IP	IP68
Protection class	Class III
Frequency	50/60 Hz
Input voltage	12V AC V
Auxiliary gear	Without equipment, needed
Glow wire temperature	850.0 °C
Lifetime	50,000 h
LED lifetime L	80
LED lifetime B	20
Weight	1.0 Kg
Cable outlets	1
Lead wire length	2,500.0 mm
Tilt angle	180.0 °
ECORAAE category I	LED-B
Periodic maintenance	Yes

NOTES

- Keep ALWAYS UNDER WATER when ON (up to 2 meters)
- Available in 2 different beams angles (narrow 10°, medium 25°)
- Disponible en RGB y DMX



GAMBLE-PLUS

382A-L0316D-30 Underwater Spotlight GAMBLE-PLUS IP68 LED SMD
16W 1100lm CRI80 5700K 45° 180° Stainless steel

RECOMMENDED ACCESSORIES



B02I-X33F9D-02
Power supplies ALIMENTADORES
Black

Input voltage	230V AC
Frequency	50/60
Wattage (W)	350.0
IP	IP65
Protection class	Class II



B02I-X33G1D-02
Power supplies ALIMENTADORES
Black

Input voltage	230V AC
Frequency	50/60
Wattage (W)	700.0
IP	IP65
Protection class	Class II

GAMBLE-PLUS

382A-L0316D-30 Underwater Spotlight GAMBLE-PLUS IP68 LED SMD
16W 1100lm CRI80 5700K 45° 180° Stainless steel

COMPLEMENTARY IMAGES

