


MILAN 400B-G31X1A-90

Wall Bracket MILAN IP65 GX53 2x6W up-down Brown oxide

Milan wall family is made of aluminum with IP65, available in white, anthracite and brown. It is installed on the wall or on the ceiling and you can choose between two types of emission below and above and below. This luminaire is suitable for lighting residential and commercial outdoor areas.



GENERAL DATA

Category	Surface
Family	Milan
Finish	Ig01 Brown oxide
Location	Outdoor
Installation	Wall
Body material	Aluminum
Diffuser material	Frosted glass
ETIM class	EC0028g2
EAN	8435256520903

LIGHT SOURCES AND BEAMS

Sources	GX53 LED T2 2x 6W max.
Energy efficiency	A++, A+, A
Lamp included	No
Beams	Direct symmetric Indirect symmetric



TECHNICAL DATA

Dimensions	Height x Width x Length (mm): 100 x 130 x 170
IP	IP65
Corrosion resistance	Yes
Protection class	Class I
Frequency	50/60 Hz
Input voltage	110-240V AC V
Auxiliary gear	Without equipment, not needed
Weight	1.45 Kg
Cable outlets	1
ECORAE category I	CAT-B
ECORAE I	0.5

MILAN 400B-G31X1A-90

Wall Bracket MILAN IP65 GX53 2x6W up-down Brown oxide


RECOMMENDED ACCESSORIES

		378A-L3103A-02 Lamp LED T2 GX53 LED Bulb 3W 350lm CRI80 4000K 120°	<table border="1"> <tr><td>Input voltage</td><td>110-240V AC</td></tr> <tr><td>Frequency</td><td>50/60</td></tr> <tr><td>Wattage (W)</td><td>3.0</td></tr> <tr><td>IP</td><td>IP20</td></tr> <tr><td>Protection class</td><td>Class I</td></tr> </table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	3.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	3.0												
IP	IP20												
Protection class	Class I												
		378A-L3104A-01 Lamp LED T2 GX53 LED Bulb 4W 320lm CRI80 3000K 120°	<table border="1"> <tr><td>Input voltage</td><td>110-240V AC</td></tr> <tr><td>Frequency</td><td>50/60</td></tr> <tr><td>Wattage (W)</td><td>4.0</td></tr> <tr><td>IP</td><td>IP20</td></tr> <tr><td>Protection class</td><td>Class I</td></tr> </table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	4.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	4.0												
IP	IP20												
Protection class	Class I												
		378A-L3106A-01 Lamp LED T2 GX53 LED Bulb 6W 480lm CRI80 3000K 180°	<table border="1"> <tr><td>Input voltage</td><td>110-240V AC</td></tr> <tr><td>Frequency</td><td>50/60</td></tr> <tr><td>Wattage (W)</td><td>6.0</td></tr> <tr><td>IP</td><td>IP20</td></tr> <tr><td>Protection class</td><td>Class I</td></tr> </table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	6.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	6.0												
IP	IP20												
Protection class	Class I												
		378A-L3106A-02 Lamp LED T2 GX53 LED Bulb 6W 480lm CRI80 4000K 180°	<table border="1"> <tr><td>Input voltage</td><td>110-240V AC</td></tr> <tr><td>Frequency</td><td>50/60</td></tr> <tr><td>Wattage (W)</td><td>6.0</td></tr> <tr><td>IP</td><td>IP20</td></tr> <tr><td>Protection class</td><td>Class I</td></tr> </table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	6.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	6.0												
IP	IP20												
Protection class	Class I												
		378B-L3107A-01 Lamp LED T2 GX53 LED Bulb 7W 800lm CRI80 3000K 120°	<table border="1"> <tr><td>Input voltage</td><td>110-240V AC</td></tr> <tr><td>Frequency</td><td>50/60</td></tr> <tr><td>Wattage (W)</td><td>7.0</td></tr> <tr><td>IP</td><td>IP20</td></tr> <tr><td>Protection class</td><td>Class I</td></tr> </table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	7.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	7.0												
IP	IP20												
Protection class	Class I												
		378B-L3107A-02 Lamp LED T2 GX53 LED Bulb 7W 700lm CRI80 4000K 120°	<table border="1"> <tr><td>Input voltage</td><td>110-240V AC</td></tr> <tr><td>Frequency</td><td>50/60</td></tr> <tr><td>Wattage (W)</td><td>7.0</td></tr> <tr><td>IP</td><td>IP20</td></tr> <tr><td>Protection class</td><td>Class I</td></tr> </table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	7.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	7.0												
IP	IP20												
Protection class	Class I												
		378B-L3110A-01 Lamp LED T2 GX53 LED Bulb 10W 1200lm CRI80 3000K 120° White	<table border="1"> <tr><td>Input voltage</td><td>110-240V AC</td></tr> <tr><td>Frequency</td><td>50/60</td></tr> <tr><td>Wattage (W)</td><td>10.0</td></tr> <tr><td>IP</td><td>IP20</td></tr> <tr><td>Protection class</td><td>Class I</td></tr> </table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	10.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	10.0												
IP	IP20												
Protection class	Class I												
		378B-L3110A-02 Lamp LED T2 GX53 LED Bulb 10W 1000lm CRI80 4000K 120° Black	<table border="1"> <tr><td>Input voltage</td><td>110-240V AC</td></tr> <tr><td>Frequency</td><td>50/60</td></tr> <tr><td>Wattage (W)</td><td>10.0</td></tr> <tr><td>IP</td><td>IP20</td></tr> <tr><td>Protection class</td><td>Class I</td></tr> </table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	10.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	10.0												
IP	IP20												
Protection class	Class I												

MILAN


400B-G31X1A-90

Wall Bracket MILAN IP65 GX53 2x6W up-down Brown oxide



378C-L3111A-01
Lamp LED T2 GX53 LED Bulb 11W
1300lm CRI80 3000K 90° White

Input voltage	110-240V AC
Frequency	50/60
Wattage (W)	11.0
IP	IP20
Protection class	Class I



378C-L3111A-02
Lamp LED T2 GX53 LED Bulb 11W
900lm CRI80 4000K 90° White

Input voltage	110-240V AC
Frequency	50/60
Wattage (W)	11.0
IP	IP20
Protection class	Class I

MILAN

400B-G31X1A-90

Wall Bracket MILAN IP65 GX53 2x6W up-down Brown oxide

PRODUCTS OF THE SAME FAMILY



Milan Ceiling



Milan Wall down