


GUIU 447A-G31X1A-04 Bollard GUIU IP54 GX53 LED T2 3W 350lm CRI80 4000K 750mm Anthracite



The Guiu family is made of aluminum in anthracite color with IP54. It consists of a wall light and a modern style beacon. Its emission temperature is 3000K. The light is scattered directly. It is designed to illuminate residential areas outside.

GENERAL DATA

Category	Bollards and columns
Family	Guiu
Finish	[04] Anthracite
Location	Outdoor
Installation	Floor
Body material	Aluminum
Diffuser material	Transparent glass
ETIM class	EC000301
EAN	8435256597028

LIGHT SOURCES AND BEAMS

Sources	GX53 LED T2 3W max. 350lm 4000K CRI80
Lamp included	Yes
Beam	Direct symmetric

TECHNICAL DATA









Dimensions	Height x Width x Length (mm): 750 x 190 x 190
IP	IP54
Protection class	Class I
Frequency	50/60 Hz
Input voltage	110-240V AC V
Auxiliary gear	Without equipment, not needed
Lifetime	25,000 h
Weight	2.775 Kg
Cable outlets	1
ECORAE category I	CAT-B
ECORAE I	0.7
Flammable surfaces	Yes

NOTES

Lamp included	
---------------	--

GUIU 447A-G31X1A-04 Bollard GUIU IP54 GX53 LED T2 3W 350lm CRI80 4000K 750mm Anthracite

RECOMMENDED ACCESSORIES

		<p>378A-L3103A-02 Lamp LED T2 GX53 LED Bulb 3W 350lm CRI80 4000K 120°</p>	<table border="1"> <tbody> <tr> <td>Input voltage</td> <td>110-240V AC</td> </tr> <tr> <td>Frequency</td> <td>50/60</td> </tr> <tr> <td>Wattage (W)</td> <td>3.0</td> </tr> <tr> <td>IP</td> <td>IP20</td> </tr> <tr> <td>Protection class</td> <td>Class I</td> </tr> </tbody> </table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	3.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	3.0												
IP	IP20												
Protection class	Class I												
		<p>378A-L3104A-01 Lamp LED T2 GX53 LED Bulb 4W 320lm CRI80 3000K 120°</p>	<table border="1"> <tbody> <tr> <td>Input voltage</td> <td>110-240V AC</td> </tr> <tr> <td>Frequency</td> <td>50/60</td> </tr> <tr> <td>Wattage (W)</td> <td>4.0</td> </tr> <tr> <td>IP</td> <td>IP20</td> </tr> <tr> <td>Protection class</td> <td>Class I</td> </tr> </tbody> </table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	4.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	4.0												
IP	IP20												
Protection class	Class I												
		<p>378A-L3106A-01 Lamp LED T2 GX53 LED Bulb 6W 480lm CRI80 3000K 180°</p>	<table border="1"> <tbody> <tr> <td>Input voltage</td> <td>110-240V AC</td> </tr> <tr> <td>Frequency</td> <td>50/60</td> </tr> <tr> <td>Wattage (W)</td> <td>6.0</td> </tr> <tr> <td>IP</td> <td>IP20</td> </tr> <tr> <td>Protection class</td> <td>Class I</td> </tr> </tbody> </table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	6.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	6.0												
IP	IP20												
Protection class	Class I												
		<p>378A-L3106A-02 Lamp LED T2 GX53 LED Bulb 6W 480lm CRI80 4000K 180°</p>	<table border="1"> <tbody> <tr> <td>Input voltage</td> <td>110-240V AC</td> </tr> <tr> <td>Frequency</td> <td>50/60</td> </tr> <tr> <td>Wattage (W)</td> <td>6.0</td> </tr> <tr> <td>IP</td> <td>IP20</td> </tr> <tr> <td>Protection class</td> <td>Class I</td> </tr> </tbody> </table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	6.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	6.0												
IP	IP20												
Protection class	Class I												

GUIU

447A-G31X1A-04 Bollard GUIU IP54 GX53 LED T2 3W 350lm CRI80 4000K 750mm Anthracite

PRODUCTS OF THE SAME FAMILY



Guiu W