


DONISI 546A-L0101A-30

Wall recessed DONISI IP65 LED COB 1W 105lm CRI80 3000K 33°

Stainless steel

Donisi recessed floor, made of aluminum with a degree of protection IP65. You have the possibility to incorporate color filters. The embedment depth is 5cm. It is designed to illuminate outdoor spaces.



GENERAL DATA

Category	Recessed
Family	Donisi
Finish	[30] Stainless steel
Location	Outdoor
Installation	Ceiling, Wall
Body material	Aluminum
Diffuser material	Prismatic glass
Frame material	Aluminum
ETIM class	EC000481
EAN	8435258612446

LIGHT SOURCES AND BEAMS

Sources	LED COB 1W 105lm 3000K CRI80
Total flux	65 lm
Energy efficiency	F
Beam	33° - Direct symmetric

TECHNICAL DATA

Dimensions	Diameter x Length (mm): 40 x 55
IP	IP65
Protection class	Class II
Frequency	50/60 Hz
Input voltage	110-240V AC V
Auxiliary gear	Electronic
Lifetime	30,000 h
LED lifetime L	80
LED lifetime B	50
Weight	0.1 Kg
Cable outlets	1
Lead wire length	450.0 mm
Cut hole dimensions	Diameter x Depth (mm): 32 x 55
ECORAAE category I	LED-A
ECORAAE I	0.25
Flammable surfaces	Yes

NOTES


Possibility to add colour filters (not included)



DONISI 546A-L0101A-30


Wall recessed DONISI IP65 LED COB 1W 105lm CRI80 3000K 33°
Stainless steel

RECOMMENDED ACCESSORIES




A14A-546-05
Green filter DONISI Green

Material	Methacrylate
Finish	[05] Green



A14A-546-06
Blue filter DONISI Blue

Material	Methacrylate
Finish	[06] Blue



A14A-546-07
Filtro color Rojo DONISI Red

Material	Methacrylate
Finish	[07] Red

DONISI 546A-L0101A-30

Wall recessed DONISI IP65 LED COB 1W 105lm CRI80 3000K 33°
Stainless steel

COMPLEMENTARY IMAGES

