

**ZIP** 576A-G31X1A-30

Wall recessed ZIP IP65 GX53 3W Stainless steel




Zip wall recesses, made of square-shaped aluminum with a degree of protection IP65, available in two versions, covered and uncovered. The embedment depth is 7cm. It is suitable for illuminating the sidewalks in busy outdoor areas.

**GENERAL DATA**

Category	Recessed
Family	Zip
Finish	[30] Stainless steel
Location	Outdoor
Installation	Wall
Body material	Aluminum
Diffuser material	Frosted glass
Frame material	Inox aisi 316L
ETIM class	EC000481
EAN	8435256523331

**LIGHT SOURCES AND BEAMS**

Sources	GX53 LED T2 3W max.
Lamp included	No
Beam	Direct symmetric




**TECHNICAL DATA**

Dimensions	Diameter x Length (mm): 125 x 90
IP	IP65
Protection class	Class I
Frequency	50/60 Hz
Input voltage	110-240V AC V
Auxiliary gear	Without equipment, not needed
Weight	1.0 Kg
Cable outlets	1
Cut hole box included	Yes
Cut hole dimensions	Diameter x Depth (mm): 120 x 75
ECORAE category I	CAT-B
ECORAE I	0.25
Periodic maintenance	Yes

**ZIP** 576A-G31X1A-30

Wall recessed ZIP IP65 GX53 3W Stainless steel

**RECOMMENDED ACCESSORIES****378A-L3103A-02**Lamp LED T2 GX53 LED Bulb 3W  
350lm CRI80 4000K 120°

Input voltage	110-240V AC
Frequency	50/60
Wattage (W)	3.0
IP	IP20
Protection class	Class I

**ZIP** 576A-G31X1A-30

Wall recessed ZIP IP65 GX53 3W Stainless steel

**PRODUCTS OF THE SAME FAMILY**

---



Zip Hood