


FRED 715B-L3135A-01 Wall Bracket/ Ceiling Fixture FRED LED SMD 35W 2940lm CRI80 3000K 125° - White

FRED is a family of practical and functional LED lighting that adapts to any kind of current modern space and environment, whether a public or private space. The FRED luminaires have been made from two versions, one shaped surface luminaire roofing and other shaped ceiling lamp or pendant lamp, with two and three sizes, respectively.



GENERAL DATA

Category	Surface
Family	Fred
Finish	[01] White
Location	Indoor
Installation	Ceiling, Wall
Body material	Aluminum
Diffuser material	Opal polycarbonate
ETIM class	EC0028g2
EAN	8433264071165

LIGHT SOURCES AND BEAMS


Sources	LED SMD 35W max. 2940lm 3000K CRI80
Energy efficiency	G
Beam	125° - Direct symmetric

TECHNICAL DATA

Dimensions	Height x Width x Mechanical suspension maximum length (mm): 68 x 400 x 1500
IP	IP40
Protection class	Class I
Frequency	50/60 Hz
Input voltage	110-240V AC V
Power factor	0.9
Auxiliary gear	Electronic
Sensors	-
Lifetime	40,000 h
LED lifetime L	80
LED lifetime B	50
Weight	1.6 Kg
ECORAE category I	LED-B
ECORAE I	0.4
Flammable surfaces	Yes

FRED 715B-L3135A-01 Wall Bracket/ Ceiling Fixture FRED LED SMD 35W 2940lm CRI80 3000K 125° - White

RECOMMENDED ACCESSORIES



A20A-715-01
Suspension kit FRED White

Material	Steel
Finish	[01] White



A20C-715-01
Surface Trim FRED White

Material	Steel
Finish	[01] White

FRED

715B-L3135A-01 Wall Bracket/ Ceiling Fixture FRED LED SMD 35W 2940lm CRI80 3000K 125° - White

COMPLEMENTARY IMAGES



PRODUCTS OF THE SAME FAMILY



Fred M