

PANDORA 758C-L3332B-01 Recessed ceiling PANDORA IP44 LED COB 32W 3000lm CRI85 4000K 97° White

PANDORA is the family of LED recessed ceiling lights with three sizes / powers in a circular version and two square. Its IP44 reinforces its versatility. Adjustability.



GENERAL DATA


Category	Recessed
Family	Pandora
Finish	[01] White
Location	Indoor
Installation	Ceiling
Body material	Aluminum
Diffuser material	Prismatic glass
Frame material	Aluminum
Reflector material	Faceted aluminum
ETIM class	EC001744
EAN	8433264015831

LIGHT SOURCES AND BEAMS


Sources	LED COB 32W max. 3000lm 4000K CRI85
Energy efficiency	A+
Beam	97° - Direct symmetric

TECHNICAL DATA

Dimensions	Height x Width x Length (mm): 246 x 246 x 70
IP	IP44
Protection class	Class II
Frequency	50/60 Hz
Input voltage	220-240V AC V
Output current	900 mA
Power factor	0.95
Lifetime	50,000 h
LED lifetime L	80
LED lifetime B	20
Weight	2.3 Kg
Cut hole dimensions	Diameter (mm): 220
ECORAAE category I	LED-B



PHOTOMETRIC DATA



NOTES

Finishes upon request: Black, Grey

PANDORA 758C-L3332B-01 Recessed ceiling PANDORA IP44 LED COB 32W 3000lm CRI85
4000K 97° White

PANDORA

758C-L3332B-01 Recessed ceiling PANDORA IP44 LED COB 32W 3000lm CRI85
4000K 97° White

PRODUCTS OF THE SAME FAMILY



Pandora Round M Pandora Round S Pandora Square M