


PANDORA 758D-L3315B-01 Recessed ceiling PANDORA IP44 LED COB 15W 1000lm CRI80 4000K 60° White

PANDORA is the family of LED recessed ceiling lights with three sizes / powers in a circular version and two square. Its IP44 reinforces its versatility. Adjustability.



GENERAL DATA

Category	Recessed
Family	Pandora
Finish	[01] White
Location	Indoor
Installation	Ceiling
Body material	Aluminum
Diffuser material	Clear transparent glass
Frame material	Aluminum
Reflector material	Metallic polycarbonate
ETIM class	EC001744
EAN	8433264015909


LIGHT SOURCES AND BEAMS

Sources	LED COB 15W max. 1000lm 4000K CRI80
Energy efficiency	A+, A
Beam	60° - Direct symmetric

TECHNICAL DATA

Dimensions	Height x Width x Length (mm): 140 x 140 x 107
IP	IP44
Protection class	Class II
Frequency	50/60 Hz
Input voltage	220-240V AC V
Power factor	0.9
Lifetime	50.000 h
LED lifetime L	80
LED lifetime B	20
Weight	0.534 Kg
Cut hole dimensions	Length x Width (mm): 128 x 128
ECORAE category I	LED-A

PHOTOMETRIC DATA



NOTES

Finishes upon request: Black, Grey

PANDORA

758D-L3315B-01 Recessed ceiling PANDORA IP44 LED COB 15W 1000lm CRI80
4000K 60° White

PANDORA

758D-L3315B-01 Recessed ceiling PANDORA IP44 LED COB 15W 1000lm CRI80
4000K 60° White

PRODUCTS OF THE SAME FAMILY



Pandora Round Pandora Round Pandora Round S
L M