


# DUBE 796B-L3110I-01

Suspended Lamp DUBE LED COB 9.20W 1250lm CRI80 3000K 32° White



The DUBE lights stand out for their simplicity, sobriety and versatility. These are the characteristics of this collection of projectors and lamps in different combinations can illuminate and decorate different types of indoor environments. DUBE is a functional luminaire for those looking to add a touch of sophistication in enclosed spaces. This family of LED luminaires has two applications, a lamp-shaped ceiling and another in the form of projector.

### GENERAL DATA

Category	Pendant
Family	Dube
Finish	[01] White
Location	Indoor
Installation	Ceiling
Body material	Aluminum
Diffuser material	Transparent polycarbonate
Reflector material	Faceted aluminum
ETIM class	EC001743
EAN	8433264071325


### LIGHT SOURCES AND BEAMS

Sources	LED COB 9.2W max. 1250lm 3000K CRI80
Total flux	718 lm
Energy efficiency	E
Beam	32° - Direct symmetric

### TECHNICAL DATA

Dimensions	Height x Diameter (mm): 250 x 40
IP	IP20
Protection class	Class III
Lifetime	50.000 h
LED lifetime L	80
LED lifetime B	20
Weight	0.49 Kg
ECORAE category I	LED-A

### PHOTOMETRIC DATA











### NOTES

- \*Add bases
- \* Track not included. Consult families Carril and Track

**DUBE** 796B-L3110I-01 Suspended Lamp DUBE LED COB 9.20W 1250lm CRI80 3000K 32° White

**RECOMMENDED ACCESSORIES**

	<p><b>B19E-X3310B-01</b> 1 Base Controller connector DUBE White</p>	<table border="1"> <tr><td>Input voltage</td><td>220-240V AC</td></tr> <tr><td>Frequency</td><td>50/60</td></tr> <tr><td>IP</td><td>IP20</td></tr> <tr><td>Protection class</td><td>Class I</td></tr> </table>	Input voltage	220-240V AC	Frequency	50/60	IP	IP20	Protection class	Class I
Input voltage	220-240V AC									
Frequency	50/60									
IP	IP20									
Protection class	Class I									
	<p><b>B19F-X3330B-01</b> 3 Base Controller connectors DUBE White</p>	<table border="1"> <tr><td>Input voltage</td><td>220-240V AC</td></tr> <tr><td>Frequency</td><td>50/60</td></tr> <tr><td>IP</td><td>IP20</td></tr> <tr><td>Protection class</td><td>Class I</td></tr> </table>	Input voltage	220-240V AC	Frequency	50/60	IP	IP20	Protection class	Class I
Input voltage	220-240V AC									
Frequency	50/60									
IP	IP20									
Protection class	Class I									
	<p><b>B19H-X3310B-01</b> 1 Base Controller connector DUBE White</p>	<table border="1"> <tr><td>Input voltage</td><td>220-240V AC</td></tr> <tr><td>Frequency</td><td>50/60</td></tr> <tr><td>IP</td><td>IP20</td></tr> <tr><td>Protection class</td><td>Class I</td></tr> </table>	Input voltage	220-240V AC	Frequency	50/60	IP	IP20	Protection class	Class I
Input voltage	220-240V AC									
Frequency	50/60									
IP	IP20									
Protection class	Class I									
	<p><b>B19A-X3310B-01</b> 1 Base Controller connector DUBE White</p>	<table border="1"> <tr><td>Input voltage</td><td>220-240V AC</td></tr> <tr><td>Frequency</td><td>50/60</td></tr> <tr><td>IP</td><td>IP20</td></tr> <tr><td>Protection class</td><td>Class I</td></tr> </table>	Input voltage	220-240V AC	Frequency	50/60	IP	IP20	Protection class	Class I
Input voltage	220-240V AC									
Frequency	50/60									
IP	IP20									
Protection class	Class I									
	<p><b>B19B-X3340B-01</b> Driver Base 2 Connections DUBE White</p>	<table border="1"> <tr><td>Input voltage</td><td>220-240V AC</td></tr> <tr><td>Frequency</td><td>50/60</td></tr> <tr><td>IP</td><td>IP20</td></tr> <tr><td>Protection class</td><td>Class I</td></tr> </table>	Input voltage	220-240V AC	Frequency	50/60	IP	IP20	Protection class	Class I
Input voltage	220-240V AC									
Frequency	50/60									
IP	IP20									
Protection class	Class I									
	<p><b>B19C-X3330B-01</b> 3 Base Controller connectors DUBE White</p>	<table border="1"> <tr><td>Input voltage</td><td>220-240V AC</td></tr> <tr><td>Frequency</td><td>50/60</td></tr> <tr><td>IP</td><td>IP20</td></tr> <tr><td>Protection class</td><td>Class I</td></tr> </table>	Input voltage	220-240V AC	Frequency	50/60	IP	IP20	Protection class	Class I
Input voltage	220-240V AC									
Frequency	50/60									
IP	IP20									
Protection class	Class I									
	<p><b>A47D-796-92</b> Softener filter DUBE Transparent glass</p>	<table border="1"> <tr><td>Material</td><td>Aluminum</td></tr> <tr><td>Finish</td><td>[92] Transparent glass</td></tr> </table>	Material	Aluminum	Finish	[92] Transparent glass				
Material	Aluminum									
Finish	[92] Transparent glass									
	<p><b>A47E-796-92</b> Extensive filter DUBE Transparent glass</p>	<table border="1"> <tr><td>Material</td><td>Aluminum</td></tr> <tr><td>Finish</td><td>[92] Transparent glass</td></tr> </table>	Material	Aluminum	Finish	[92] Transparent glass				
Material	Aluminum									
Finish	[92] Transparent glass									

**DUBE** 796B-L3110I-01 Suspended Lamp DUBE LED COB 9.20W 1250lm CRI80 3000K 32° White




**A47C-796-92**  
Extension filter DUBE Transparent glass

Material	Aluminum
Finish	[92] Transparent glass



**A04M-796-02**  
Anti-blitching Grid DUBE Black

Material	Steel
Finish	[02] Black




**A55A-796-02**  
Trim DUBE Black

Material	Polycarbonate
Finish	[02] Black



**A55A-796-45**  
Trim DUBE Chrome matt

Material	Polycarbonate
Finish	[45] Chrome matt



**A55A-796-46**  
Trim DUBE Gold matt

Material	Polycarbonate
Finish	[46] Gold matt

**DUBE** 796B-L3110I-01 Suspended Lamp DUBE LED COB 9.20W 1250lm CRI80 3000K 32° White

PRODUCTS OF THE SAME FAMILY

---



Dube W