

# SIGMA 809C-L3306B-01 Recessed ceiling SIGMA LED SMD 6W 637lm CRI80 4000K 48° White

The SIGMA family is the discretion and slenderness LED luminaire made with a section of only 32x44 mm and two lengths to efficiently illuminate a work surface, a counter hotel, an office desk. This range has been manufactured from shaped ceiling lamps and recessed version. The SIGMA lights have a possibility of regulation that make them ideal for environments such as homes, catering or hospitality environments.



### GENERAL DATA

Category	Recessed
Family	Sigma
Finish	[01] White
Location	Indoor
Installation	Ceiling
Body material	Aluminum, Polycarbonate
Frame material	Aluminum
Reflector material	Metallic ABS
ETIM class	EC000282
EAN	8433264073220

### LIGHT SOURCES AND BEAMS


Sources	LED SMD 6W max. 637lm 4000K CRI80
Energy efficiency	E
Beam	48° - Direct symmetric

### TECHNICAL DATA

Dimensions	Height x Width x Length (mm): 42 x 42 x 173
IP	IP20
Protection class	Class II
Frequency	50/60 Hz
Input voltage	220-240V AC V
Power factor	0.9
Auxiliary gear	Electronic
Alternative auxiliary equipment	1-10V CONV.JUS110P SIGMA + 60€ PVP
UGR	19
Lifetime	60.000 h
LED lifetime L	80
LED lifetime B	20
Weight	0.26 Kg
Cut hole dimensions	Length x Width x Depth (mm): 166 x 34 x 42
ECORAE category I	LED-A




### PHOTOMETRIC DATA



**SIGMA** 809C-L3306B-01 Recessed ceiling SIGMA LED SMD 6W 637lm CRI80 4000K 48° White

**SIGMA** 809C-L3306B-01 Recessed ceiling SIGMA LED SMD 6W 637lm CRI80 4000K 48° White

COMPLEMENTARY IMAGES



PRODUCTS OF THE SAME FAMILY



Sigma L Mini-Trim



Sigma L Trimless



Sigma M Mini-Trim



Sigma M Trimless



Sigma S Trimless



Sigma XL



Sigma XXL