

# SIGMA 809E-L3825B-03 Recessed ceiling SIGMA LED SMD 25W 3088lm CRI90 2700K 48° Grey

The SIGMA family is the discretion and slenderness LED luminaire made with a section of only 32x44 mm and two lengths to efficiently illuminate a work surface, a counter hotel, an office desk. This range has been manufactured from shaped ceiling lamps and recessed version. The SIGMA lights have a possibility of regulation that make them ideal for environments such as homes, catering or hospitality environments.



## GENERAL DATA

Category	Recessed
Family	Sigma
Finish	[03] Grey
Location	Indoor
Installation	Ceiling
Body material	Aluminum, Polycarbonate
Frame material	Aluminum
Reflector material	Metallic ABS
ETIM class	EC000282
EAN	8433264123970


## LIGHT SOURCES AND BEAMS

Sources	LED SMD 25W max. 3088lm 2700K CRI90
Total flux	2596 lm
Energy efficiency	E
Beam	48° - Direct symmetric


## TECHNICAL DATA

Dimensions	Height x Width x Length (mm): 42 x 42 x 650
IP	IP20
Protection class	Class II
Frequency	50/60 Hz
Input voltage	220-240V AC V
Output current	700 mA
Power factor	0.95
Auxiliary gear	Electronic
Alternative auxiliary equipment	1-10V CONV.JUS110P SIGMA + 60€ PVP
UGR	19
Lifetime	60.000 h
LED lifetime L	80
LED lifetime B	20
Weight	0.69 Kg
Cut hole dimensions	Length x Width x Depth (mm): 643 x 34 x 42
ECORAE category I	LED-A

## PHOTOMETRIC DATA




**SIGMA** 809E-L3825B-03 Recessed ceiling SIGMA LED SMD 25W 3088lm CRI90 2700K 48° Grey



**SIGMA** 809E-L3825B-03 Recessed ceiling SIGMA LED SMD 25W 3088lm CRI90 2700K 48° Grey

COMPLEMENTARY IMAGES



PRODUCTS OF THE SAME FAMILY



Sigma L  
Trimless



Sigma M Mini-  
Trim



Sigma M  
Trimless



Sigma S Mini-  
Trim



Sigma S  
Trimless



Sigma XL



Sigma XXL