


IOTA 810A-L3316B-03

Wall recessed IOTA LED SMD 16W 2100lm CRI80 4000K 90° Grey

IOTA is a collection of LED recessed wall getting a uniform bathroom floor. Four sizes, two color temperatures and adjustment option built make this an ideal lighting solution for any hall or staircase.



GENERAL DATA

Category	Recessed
Family	Iota
Finish	[03] Grey
Location	Indoor
Installation	Wall
Body material	Aluminum
Diffuser material	Opal methacrylate
Frame material	Aluminum
Reflector material	Painted aluminum
ETIM class	EC000481
EAN	8433264073558


LIGHT SOURCES AND BEAMS

Sources	LED SMD 16W max. 2100lm 4000K CRI80
Energy efficiency	A++, A+, A
Beam	90° - Direct asymmetric

TECHNICAL DATA

Dimensions	Height x Width x Length (mm): 100 x 41 x 600
IP	IP20
Protection class	Class II
Frequency	50/60 Hz
Input voltage	220-240V AC V
Output current	350 mA
Power factor	0.9
Auxiliary gear	Electronic
Lifetime	60,000 h
LED lifetime L	80
LED lifetime B	20
Weight	0.9 Kg
Cut hole dimensions	Length x Width x Depth (mm): 590 x 90 x 41
ECORAAE category I	LED-B

PHOTOMETRIC DATA



IOTA 810A-L3316B-03

Wall recessed IOTA LED SMD 16W 2100lm CRI80 4000K 90° Grey

NOTES

Asymmetric

Not suitable for brick wall or concrete

IOTA 810A-L3316B-03

Wall recessed IOTA LED SMD 16W 2100lm CRI80 4000K 90° Grey

PRODUCTS OF THE SAME FAMILY



Iota S