

COMO 916A-L0103K-04


Bollard Solar COMO IP54 LED SMD 2.20W 480lm CRI80 3000K 46°
Motion, Twilight 500mm Anthracite



The Como solar beacon is made of aluminum in anthracite color with IP54, available in two different designs. The emission temperature is 3000K. Lighting time without additional load 12 hours. It is designed to illuminate residential and commercial areas outside.

GENERAL DATA

Category	Bollards and columns
Family	Como
Finish	[04] Anthracite
Location	Outdoor
Installation	Floor
Body material	Aluminum
Diffuser material	Opal polycarbonate
ETIM class	EC000301
EAN	8433264098018



LIGHT SOURCES AND BEAMS

Sources	LED SMD 2.2W max. 480lm 3000K CRI80
Total flux	190 lm
Beam	46° - Direct asymmetric

TECHNICAL DATA

Dimensions	Height x Width x Depth (mm): 500 x 140 x 165
IP	IP54
Protection class	Class III
Input voltage	3.7V DC V
Sensors	Motion, Twilight
Rechargeable	Solar
Battery charge time	8.0 h
Battery autonomy	12.0 h
Operating temperature range	60 °C
Power switches	1
Lifetime	40,000 h
LED lifetime L	80
LED lifetime B	50
Weight	2.9 Kg
Anchorage included	Yes



NOTES

Loading time: 6/8h
Full load duration: 12h
Sensor level: 100 lux
Thermal amplitude: 0-60 °C

COMO

916A-L0103K-04

Bollard Solar COMO IP54 LED SMD 2.20W 480lm CRI80 3000K 46°
Motion, Twilight 500mm Anthracite

COMPLEMENTARY IMAGES



PRODUCTS OF THE SAME FAMILY



Como B T



Como W