


# WALK 920A-L3122B-03 Surface Mounted Spotlight WALK IP67 LED SMD 24W 2905lm CRI80 3000K 12° 180° Grey

La familia Walk consiste en empotrables de suelo y proyectores de superficie fabricada de aluminio y cuenta con IP67. Está disponible en varias temperaturas de color y versión RGB, diferentes tipos de potencia max. hasta 80W. Gracias a su versatilidad es ideal para instalaciones en espacios exteriores.



### GENERAL DATA

Category	Spotlights
Family	Walk
Finish	1031 Grey
Location	Outdoor
Installation	Ceiling, Floor, Wall
Body material	Aluminum
Diffuser material	Transparent glass
ETIM class	EC001744
EAN	8433264103613

### LIGHT SOURCES AND BEAMS


Sources	LED SMD 24W max. 2905lm 3000K CRI80
Total flux	2440 lm
Energy efficiency	E
Beam	12° - Directa

### TECHNICAL DATA

Dimensions	Length x Height x Width (mm): 586 x 100 x 45
IP	IP67
Protection class	Class I
Frequency	50/60 Hz
Input voltage	220-240V AC V
Total wattage	26 W
Output current	500 mA
Auxiliary gear	Driver integrado
Lifetime	50.000 h
LED lifetime L	80
LED lifetime B	10
Cable outlets	1
Lead wire length	0.5 mm
Tilt angle	180.0 °
ECORAE category I	LED-B

**WALK** 920A-L3122B-03 Surface Mounted Spotlight WALK IP67 LED SMD 24W 2905lm CRI80 3000K  
12° 180° Grey

**RECOMMENDED ACCESSORIES**



**B03A-X33X2A-02**

Accesorios / Doble conector  
hasta Ø13mm CONECTORES Black

IP	IP68
Protection class	Class I

# WALK

920A-L3122B-03 Surface Mounted Spotlight WALK IP67 LED SMD 24W 2905lm CRI80 3000K  
12° 180° Grey

**COMPLEMENTARY IMAGES**



**PRODUCTS OF THE SAME FAMILY**



Walk Flood  
L1146

Walk Reces  
L1180

Walk Reces  
L620

Walk Reces  
Mat L1180

Walk Reces Mat L620