


# STONE 965C-L3112A-NN

Wall Bracket STONE IP65 LED SMD 2x5W 475lm CRI80 3000K  
120°, 120° up-down Concrete natural

The Stone family, made of concrete and anthracite, white, red and natural finishes, provides a wide variety of decorative and functional lighting solutions. It is composed of appliques, ceiling and beacon attached, all with IP65 protection and IP connector included to facilitate a correct assembly.



### GENERAL DATA

Category	Surface
Family	Stone
Finish	[NN] Concrete natural
Location	Outdoor
Installation	Wall
Body material	Concrete
Diffuser material	Opal polycarbonate
ETIM class	EC0028g2
EAN	8433264114572

### LIGHT SOURCES AND BEAMS

Sources	LED SMD 2x 5W max. 2x 475lm 3000K CRI80
Total flux	640 lm
Energy efficiency	F
Beams	120° - Direct symmetric 120° - Indirect symmetric

### TECHNICAL DATA

Dimensions	Length x Width x Height (mm): 400 x 45 x 100
IP	IP65
IK	08
Protection class	Class I
Frequency	50/60 Hz
Input voltage	110-240V AC V
Total wattage	11 W
Output current	300 mA
Auxiliary gear	Driver integrado
Auxiliary equipment brand	Niubao
Operating temperature range	-20 - 40 °C
Lifetime	50.000 h
LED lifetime L	70
LED lifetime B	50
Weight	1.1 Kg
Cable outlets	1
ECORAE category I	CAT-A
ECORAE I	0.5
Anchorage included	Yes


### NOTES

- IP connector included
- Opción de convertir en monoemisión (según instrucciones)

# STONE 965C-L3112A-NN


Wall Bracket STONE IP65 LED SMD 2x5W 475lm CRI80 3000K  
120°, 120° up-down Concrete natural

## RECOMMENDED ACCESSORIES




**578A-L2105A-02**  
Lamp LED PRO GU10 LED Bulb  
4.50W 300lm CRI80 4000K 38°  
White

Input voltage	110-240V AC
Frequency	50/60
Wattage (W)	4.5
IP	IP20
Protection class	Class I



**578A-L2104A-01**  
Lamp LED PRO GU10 3.50W 36°  
White

Input voltage	110-240V AC
Frequency	50/60
Wattage (W)	3.5
IP	IP20
Protection class	Class I



**578A-L2104A-02**  
Lamp LED PRO GU10 3.50W 36°  
White

Input voltage	110-240V AC
Frequency	50/60
IP	IP20
Protection class	Class I

# STONE 965C-L3112A-NN

Wall Bracket STONE IP65 LED SMD 2x5W 475lm CRI80 3000K  
120°, 120° up-down Concrete natural

## COMPLEMENTARY IMAGES



## PRODUCTS OF THE SAME FAMILY



Stone H510



Stone Wall Round



Stone Wall Square