



# OXY 984D-G05X1A-02

Suspended Lamp OXY E27 60W ø350mm Transparent glass Black



La familia Oxy fabricada en acero, es una luminaria sofisticada que se adapta a diversos espacios interiores. Se recomienda combinar distintos tamaños en un mismo espacio. Disponible en color cromo, negro y oro.

## GENERAL DATA

|                   |                   |
|-------------------|-------------------|
| Category          | Pendant           |
| Family            | Oxy               |
| Finish            | [o2] Black        |
| Location          | Indoor            |
| Installation      | Ceiling           |
| Body material     | Steel             |
| Diffuser material | Transparent glass |
| EAN               | 8433264116743     |

## LIGHT SOURCES AND BEAMS

|               |                                  |
|---------------|----------------------------------|
| Sources       | E27 LED Bulb/TC-TSE/HAL 60W max. |
| Lamp included | No                               |
| Beam          | Diffuse                          |

## TECHNICAL DATA

|                   |  |
|-------------------|--|
| Dimensions        | Diameter x Maximum height (mm): 350 x 1500 |
| IP                | IP40                                       |
| Protection class  | Class I                                    |
| Frequency         | 50/60 Hz                                   |
| Input voltage     | 110-240V AC V                              |
| ECORAE category I | CAT-A                                      |

**OXY** 984D-G05X1A-02

Suspended Lamp OXY E27 60W ø350mm Transparent glass Black

**RECOMMENDED ACCESSORIES**

|                  |             |   |  |               |             |           |       |             |     |    |      |                  |         |
|------------------|-------------|---|--|---------------|-------------|-----------|-------|-------------|-----|----|------|------------------|---------|
|                  |             | <p><b>632F-L0504B-01</b><br/>Lamp LED FILAMENT E27 LED<br/>Bulb 4W 470lm CRI80 2700K 360°</p> | <table border="1"> <tbody> <tr> <td>Input voltage</td> <td>220-240V AC</td> </tr> <tr> <td>Frequency</td> <td>50/60</td> </tr> <tr> <td>Wattage (W)</td> <td>4.0</td> </tr> <tr> <td>IP</td> <td>IP20</td> </tr> <tr> <td>Protection class</td> <td>Class I</td> </tr> </tbody> </table> | Input voltage | 220-240V AC | Frequency | 50/60 | Wattage (W) | 4.0 | IP | IP20 | Protection class | Class I |
| Input voltage    | 220-240V AC |   |  |               |             |           |       |             |     |    |      |                  |         |
| Frequency        | 50/60       |   |  |               |             |           |       |             |     |    |      |                  |         |
| Wattage (W)      | 4.0         |   |  |               |             |           |       |             |     |    |      |                  |         |
| IP               | IP20        |   |  |               |             |           |       |             |     |    |      |                  |         |
| Protection class | Class I     |   |  |               |             |           |       |             |     |    |      |                  |         |
|                  |             | <p><b>632C-L0506B-01</b><br/>Lamp LED FILAMENT E27 LED<br/>Bulb 6W 800lm CRI80 2700K 360°</p> | <table border="1"> <tbody> <tr> <td>Input voltage</td> <td>110-240V AC</td> </tr> <tr> <td>Frequency</td> <td>50/60</td> </tr> <tr> <td>Wattage (W)</td> <td>6.0</td> </tr> <tr> <td>IP</td> <td>IP20</td> </tr> <tr> <td>Protection class</td> <td>Class I</td> </tr> </tbody> </table> | Input voltage | 110-240V AC | Frequency | 50/60 | Wattage (W) | 6.0 | IP | IP20 | Protection class | Class I |
| Input voltage    | 110-240V AC |   |  |               |             |           |       |             |     |    |      |                  |         |
| Frequency        | 50/60       |   |  |               |             |           |       |             |     |    |      |                  |         |
| Wattage (W)      | 6.0         |   |  |               |             |           |       |             |     |    |      |                  |         |
| IP               | IP20        |   |  |               |             |           |       |             |     |    |      |                  |         |
| Protection class | Class I     |   |  |               |             |           |       |             |     |    |      |                  |         |
|                  |             | <p><b>632G-L0504B-01</b><br/>Lamp LED FILAMENT E27 LED<br/>Bulb 4W 470lm CRI80 2700K 360°</p> | <table border="1"> <tbody> <tr> <td>Input voltage</td> <td>220-240V AC</td> </tr> <tr> <td>Frequency</td> <td>50/60</td> </tr> <tr> <td>Wattage (W)</td> <td>4.0</td> </tr> <tr> <td>IP</td> <td>IP20</td> </tr> <tr> <td>Protection class</td> <td>Class I</td> </tr> </tbody> </table> | Input voltage | 220-240V AC | Frequency | 50/60 | Wattage (W) | 4.0 | IP | IP20 | Protection class | Class I |
| Input voltage    | 220-240V AC |   |  |               |             |           |       |             |     |    |      |                  |         |
| Frequency        | 50/60       |   |  |               |             |           |       |             |     |    |      |                  |         |
| Wattage (W)      | 4.0         |   |  |               |             |           |       |             |     |    |      |                  |         |
| IP               | IP20        |   |  |               |             |           |       |             |     |    |      |                  |         |
| Protection class | Class I     |   |  |               |             |           |       |             |     |    |      |                  |         |

# OXY

984D-G05X1A-02

Suspended Lamp OXY E27 60W ø350mm Transparent glass Black

**PRODUCTS OF THE SAME FAMILY**



Oxy D200



Oxy D250



Oxy D300



Oxy D400



Oxy Mat D200



Oxy Mat D250



Oxy Mat D300



Oxy Mat D350



Oxy Mat D400



Oxy Mat W



Oxy Transp W