



OXY 984D-G05X1A-47

Suspended Lamp OXY E27 60W ø350mm Transparent glass Gold



La familia Oxy fabricada en acero, es una luminaria sofisticada que se adapta a diversos espacios interiores. Se recomienda combinar distintos tamaños en un mismo espacio. Disponible en color cromo, negro y oro.

GENERAL DATA

Category	Pendant
Family	Oxy
Finish	[47] Gold
Location	Indoor
Installation	Ceiling
Body material	Steel
Diffuser material	Transparent glass
EAN	8433264116767

LIGHT SOURCES AND BEAMS

Sources	E27 LED Bulb/TC-TSE/HAL 60W max.
Lamp included	No
Beam	Diffuse

TECHNICAL DATA

Dimensions	Diameter x Maximum height (mm): 350 x 1500
IP	IP40
Protection class	Class I
Frequency	50/60 Hz
Input voltage	110-240V AC V
ECORAE category I	CAT-A

OXY 984D-G05X1A-47

Suspended Lamp OXY E27 60W ø350mm Transparent glass Gold

RECOMMENDED ACCESSORIES

		<p>632F-L0504B-01 Lamp LED FILAMENT E27 LED Bulb 4W 470lm CRI80 2700K 360°</p>	<table border="1"> <tbody> <tr> <td>Input voltage</td> <td>220-240V AC</td> </tr> <tr> <td>Frequency</td> <td>50/60</td> </tr> <tr> <td>Wattage (W)</td> <td>4.0</td> </tr> <tr> <td>IP</td> <td>IP20</td> </tr> <tr> <td>Protection class</td> <td>Class I</td> </tr> </tbody> </table>	Input voltage	220-240V AC	Frequency	50/60	Wattage (W)	4.0	IP	IP20	Protection class	Class I
Input voltage	220-240V AC												
Frequency	50/60												
Wattage (W)	4.0												
IP	IP20												
Protection class	Class I												
		<p>632C-L0506B-01 Lamp LED FILAMENT E27 LED Bulb 6W 800lm CRI80 2700K 360°</p>	<table border="1"> <tbody> <tr> <td>Input voltage</td> <td>110-240V AC</td> </tr> <tr> <td>Frequency</td> <td>50/60</td> </tr> <tr> <td>Wattage (W)</td> <td>6.0</td> </tr> <tr> <td>IP</td> <td>IP20</td> </tr> <tr> <td>Protection class</td> <td>Class I</td> </tr> </tbody> </table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	6.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	6.0												
IP	IP20												
Protection class	Class I												
		<p>632G-L0504B-01 Lamp LED FILAMENT E27 LED Bulb 4W 470lm CRI80 2700K 360°</p>	<table border="1"> <tbody> <tr> <td>Input voltage</td> <td>220-240V AC</td> </tr> <tr> <td>Frequency</td> <td>50/60</td> </tr> <tr> <td>Wattage (W)</td> <td>4.0</td> </tr> <tr> <td>IP</td> <td>IP20</td> </tr> <tr> <td>Protection class</td> <td>Class I</td> </tr> </tbody> </table>	Input voltage	220-240V AC	Frequency	50/60	Wattage (W)	4.0	IP	IP20	Protection class	Class I
Input voltage	220-240V AC												
Frequency	50/60												
Wattage (W)	4.0												
IP	IP20												
Protection class	Class I												

OXY

984D-G05X1A-47

Suspended Lamp OXY E27 60W ø350mm Transparent glass Gold

PRODUCTS OF THE SAME FAMILY



Oxy D200



Oxy D250



Oxy D300



Oxy D400



Oxy Mat D200



Oxy Mat D250



Oxy Mat D300



Oxy Mat D350



Oxy Mat D400



Oxy Mat W



Oxy Transp W