



# OXY 984E-G05X1A-32

## Suspended Lamp OXY E27 60W ø400mm Transparent glass Chrome



La familia Oxy fabricada en acero, es una luminaria sofisticada que se adapta a diversos espacios interiores. Se recomienda combinar distintos tamaños en un mismo espacio. Disponible en color cromo, negro y oro.

### GENERAL DATA

Category	Pendant
Family	Oxy
Finish	[32] Chrome
Location	Indoor
Installation	Ceiling
Body material	Steel
Diffuser material	Transparent glass
EAN	8433264116781

### LIGHT SOURCES AND BEAMS

Sources	E27 LED Bulb/TC-TSE/HAL 60W max.
Lamp included	No
Beam	Diffuse

### TECHNICAL DATA

Dimensions	Diameter x Maximum height (mm): 400 x 1500
IP	IP40
Protection class	Class I
Frequency	50/60 Hz
Input voltage	110-240V AC V
ECORAE category I	CAT-A

**OXY**

984E-G05X1A-32

Suspended Lamp OXY E27 60W ø400mm Transparent glass Chrome

**RECOMMENDED ACCESSORIES**

		<p><b>632F-L0504B-01</b> Lamp LED FILAMENT E27 LED Bulb 4W 470lm CRI80 2700K 360°</p>	<table border="1"> <tbody> <tr> <td>Input voltage</td> <td>220-240V AC</td> </tr> <tr> <td>Frequency</td> <td>50/60</td> </tr> <tr> <td>Wattage (W)</td> <td>4.0</td> </tr> <tr> <td>IP</td> <td>IP20</td> </tr> <tr> <td>Protection class</td> <td>Class I</td> </tr> </tbody> </table>	Input voltage	220-240V AC	Frequency	50/60	Wattage (W)	4.0	IP	IP20	Protection class	Class I
Input voltage	220-240V AC												
Frequency	50/60												
Wattage (W)	4.0												
IP	IP20												
Protection class	Class I												
		<p><b>632C-L0506B-01</b> Lamp LED FILAMENT E27 LED Bulb 6W 800lm CRI80 2700K 360°</p>	<table border="1"> <tbody> <tr> <td>Input voltage</td> <td>110-240V AC</td> </tr> <tr> <td>Frequency</td> <td>50/60</td> </tr> <tr> <td>Wattage (W)</td> <td>6.0</td> </tr> <tr> <td>IP</td> <td>IP20</td> </tr> <tr> <td>Protection class</td> <td>Class I</td> </tr> </tbody> </table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	6.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	6.0												
IP	IP20												
Protection class	Class I												
		<p><b>632G-L0504B-01</b> Lamp LED FILAMENT E27 LED Bulb 4W 470lm CRI80 2700K 360°</p>	<table border="1"> <tbody> <tr> <td>Input voltage</td> <td>220-240V AC</td> </tr> <tr> <td>Frequency</td> <td>50/60</td> </tr> <tr> <td>Wattage (W)</td> <td>4.0</td> </tr> <tr> <td>IP</td> <td>IP20</td> </tr> <tr> <td>Protection class</td> <td>Class I</td> </tr> </tbody> </table>	Input voltage	220-240V AC	Frequency	50/60	Wattage (W)	4.0	IP	IP20	Protection class	Class I
Input voltage	220-240V AC												
Frequency	50/60												
Wattage (W)	4.0												
IP	IP20												
Protection class	Class I												

**OXY**

984E-G05X1A-32

Suspended Lamp OXY E27 60W ø400mm Transparent glass Chrome

**PRODUCTS OF THE SAME FAMILY**



Oxy D200



Oxy D250



Oxy D300



Oxy D350



Oxy Mat D200



Oxy Mat D250



Oxy Mat D300



Oxy Mat D350



Oxy Mat D400



Oxy Mat W



Oxy Transp W