


LUA 995A-H20X1A-04 Bollard LUA IP44 G9 LED Bulb 2.50W 160lm CRI80 3000K 478mm Anthracite



The Lua Balliza is characterized by its simple design and containing two integrated Schuko bases protected by a front door. Suitable for uploading a total power of up to 3,680 watts, the Schuko bases (compatible with type F and c plug) incorporate abatible tapas and child safety closure. It includes a watertight connection box with independent connection for the lamp and Schuko bases. Manufactured in aluminum and IP44, it is available with Lamp included G9 in 3000K and anthracite finish. Thanks to the white diffuser of the upper part, the light of the lamp creates a visually discreet luminous effect outdoors. It is an ideal beacon to provide power outlet in gardens, patios, terraces or roads.

GENERAL DATA

Category	Bollards and columns
Family	Lua
Finish	1041 Anthracite
Location	Outdoor
Installation	Floor
Body material	Aluminum
Diffuser material	Opal polycarbonate
EAN	8433264118723

LIGHT SOURCES AND BEAMS

Sources	G9 LED Bulb 2.5W max. 160lm 3000K CRI80
Lamp included	Yes

TECHNICAL DATA

Dimensions	Height x Diameter (mm): 478 x 100
IP	IP44
Protection class	Class I
Frequency	50/60 Hz
Input voltage	220-240V AC V
Weight	1.8 Kg
Cable outlets	2


NOTES

- Schuko compatibles con clavija tipo F y C
- The sockets incorporate hinged covers and child safety locks
- Bollard containing two integrated sockets protected by a front door 16A + T / 250V
- Suitable for charging a total power of up to 3 680 watts
- It includes a watertight junction box with separate connection for the lamp and schuko sockets



LUA 995A-H20X1A-04 Bollard LUA IP44 G9 LED Bulb 2.50W 160lm CRI80 3000K 478mm Anthracite

RECOMMENDED ACCESSORIES



369D-L2003B-02
Lamp G9 G9 LED Bulb 2.50W
160lm CRI80 4000K 300° White

Input voltage	220-240V AC
Frequency	50/60
Wattage (W)	2.5
IP	IP20
Protection class	Class I

LUA 995A-H20X1A-04 Bollard LUA IP44 G9 LED Bulb 2.50W 160lm CRI80 3000K 478mm Anthracite

COMPLEMENTARY IMAGES

