

# TERRA 996A-L3306B-04 Spike Spotlight TERRA IP65 LED SMD AC 6W 660lm CRI80 4000K 50° 180° Anthracite



Projector with picket for installation on the ground. It is made of aluminum with transparent polycarbonate diffuser and has IP65 protection for outdoor use. It allows to adjust the angle of inclination and fix it solidly thanks to a toothed joint. It is available at color temperature of 3000K and 4000K with anthracite finish. Recommended to illuminate passage zones and landscaped areas. Adapting perfectly to any environment thanks to its simple form.

## GENERAL DATA

Category	Spotlights
Family	Terra
Finish	[04] Anthracite
Location	Outdoor
Installation	Floor
Body material	Aluminum
Diffuser material	Polycarbonate
Frame material	Polycarbonate
EAN	8433264121006

## LIGHT SOURCES AND BEAMS


Sources	LED SMD AC 6W max. 660lm 4000K CRI80
Total flux	390 lm
Energy efficiency	E
Beam	50° - Direct symmetric

## TECHNICAL DATA

Dimensions	Diameter x Length (mm): 63 x 323
IP	IP65
Protection class	Class I
Frequency	50/60 Hz
Input voltage	220-240V AC V
Power factor	0.9
Operating temperature range	-10 - 35 °C
Lifetime	30.000 h
LED lifetime L	70
LED lifetime B	50
Weight	0.32 Kg
Cable outlets	1
Lead wire length	950.0 mm
Tilt angle	180.0 °

**TERRA** 996A-L3306B-04 Spike Spotlight TERRA IP65 LED SMD AC 6W 660lm CRI80 4000K 50°  
180° Anthracite


**RECOMMENDED ACCESSORIES**



**B03A-X33X2A-02**

Accesorios / Doble conector  
hasta Ø13mm CONECTORES Black

IP	IP68
Protection class	Class I



**B03B-X33X2A-02**

Accesorios / Triple conector T  
desde Ø13,5mm CONECTORES  
Black

IP	IP68
Protection class	Class I

# TERRA

996A-L3306B-04 Spike Spotlight TERRA IP65 LED SMD AC 6W 660lm CRI80 4000K 50°  
180° Anthracite

COMPLEMENTARY IMAGES

---

